

OFFICE OF THE PATTAMUNDAI MUNICIPALITY, PATTAMUNDAI

QUOTATION CALL NOTICE NO. 2524 Date: 22-08-25

The Executive Officer, Pattamundai Municipality on behalf of Municipal Council, Dist.-Kendrapara invites sealed quotations in double cover system from the Registered firm for supply and installation of different equipment to Pattamundai Municipality for setup of e-Library.


The interested firm wish to participate in the short quotation call notice must submit filled in quotation along with GST Registration Certificate, PAN Card, all other document as per DTCN, Paper Cost of Rs. 2000.00 to be drawn in the shape of Demand Draft duly pledged in favour of Executive Officer and EMD amount of Rs. 5000.00 to be drawn in the shape of DD/TDR duly pledged in favour of Executive Officer, Pattamundai Municipality payable at Pattamundai. The quotation must reach on or before 4pm 29-08-2025 and will be opened on same day at 5PM.

The undersigned has the rights to accept, cancel or reject any or all the quotations without assigning any reason thereof.


Executive Officer
Pattamundai Municipality


Memo No. 2525 /Dt 22-08-25

The Director, I &PR, Govt. of Odisha, Bhubaneswar for information with request to publish the same in any one English Newspaper and one Odia Newspaper for wide publication.


Executive Officer
Pattamundai Municipality


Memo No. 2526 /Dt 22-08-25

Copy submitted to the Collector & District Magistrate, Kendrapara/ PD (DUDA), Kendrapara/ Sub Collector, Kendrapara/Tahasildar, Pattamundai/ BDO, Pattamundai for information.


Executive Officer
Pattamundai Municipality


Memo No. 2527 /Dt 22-08-25

Copy submitted to DeGM, Kendrapara for information with a request to publish this notice on kendrapara.odisha.gov.in portal for wide publication.


Executive Officer
Pattamundai Municipality

Memo No. 2528 /Dt 22-08-25

Copy to the Office Notice Board, Pattamundai Municipality for wide publication.


Executive Officer
Pattamundai Municipality

Technical Specification of the items

Sl. No.	Particular of Items	Quantity
1	Desktop system Intel I3, 8GB RAM, 512 SSD, 19 inch Monitor with antivirus software for 1 year and ms office	8 nos
Desktop Specification		
Items	Specification	
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)	
Chipset Number	Intel H670/Intel H770/Intel Q670 or higher Chipset	
Processor Make	Intel	
Processor	x86 64-bit architecture	
Processor Generation	13 Or higher	
Processor Number	Intel Core i3 13100 or higher	
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher	
Operating System (Factory Pre-Loaded)	Windows 11 Professional	
RAM Size (GB)	DDR-4 8GB 3200 (8 X1) or higher (2 DIIM Slots)	
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher	
Integrated Graphics	Intel UHD Graphics or higher	
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes	
Type of Drives used to populate the Internal Bays	NVMe SSD	
Total HDD Capacity (GB)	NA	
Total SSD Capacity (GB)	512GB NVMe SSD	
Optical Drive	Optional	
Drive Bays	Two 3.5" (2.5") HDD	
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD	
LAN	LAN: Integrated 10/100/1000M	
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, Total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0	
Firmware Trusted Platform Module	TPM 2.0	
Hardware Security lock slot	Security lock slot	
Power Supply	180–260 Watt Internal power supply with minimum 90% efficiency	
Certification	Bidder should submit OEM bid specific authorization, Compliance sheet on OEM letter head with authorized signature. These documents may be verified by the respective OEM if required. OEM must have the ISO 9001,14001, ISO 20001, ISO 27001, ISO 45000 & ISO 50000 Certificate	

	Microsoft Windows, Energy star 8.0 certified Bidder should submit FCC, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.	
Keyboard Mouse	USB Keyboard; USB Optical Mouse	
Monitor	21.5" LED Display with CTO Certified and same must belong to the same OEM	
Years of Warranty	3 Years Onsite Warranty	
Technical Specification of Printer		
Sl. No.	Particulars of Items	Quantity
2	Single Function	1 No
Type of printing: Laser Automatic duplex printing: Yes Print speed per minute 33PPM Networking: YES WIFI Facility: Yes		

- 1) Desktop & Printer Specifications which are mentioned in the bid.
- 2) Seller should have registered and functional office at Odisha for post sales service.
- 3) Seller should provide all the documents mandatory mentioned in the bid.
- 4) OEM Should have local service centre in consignee state. Service escalation matrix must be submitted by the bidder.
- 5) Specific Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents which has to be there in the public domain. (Datasheet must be with model wise not respective series). Product serial no's and warranty information should be available in public domain.
- 6) Compliance sheet and EOL certificate must be in OEM Letterhead with company seal & sign by Local Business Manager. Malicious Quote and Warranty Certificate must be provided by the OEM.
- 7) OEM must have the ISO 9001,14001, ISO 20001, ISO 27001, ISO 45000 & ISO 50000 Certificate. Same certificates must be uploaded at the time of participation of the Bid.
- 8) Desktop model must have at least 20% or higher MII contents.
- 9) OEM Product with detail specification should be available in public domain.
- 10) Bidders should submit Bid Specific OEM Authorization certificate on OEM letterhead with Name, Designation, Mobile Number and Email ID etc.
- 11) Bidder have to provide warranty period declaration on the letter head of OEM signed by Local Business Manager.
- 12) OEM of Desktop should undertake that no refurbished component will be used in the quoted products.
- 13) OEM must provide declaration about onsite warranty as per the tender terms.
- 14) The competent authority has discretionary power to accept/reject of any/all bidder without any reason thereof during the bid validity period.
- 15) Desktop OEM have 5-6 Service Centre in Odisha. Document proof should be attached with the bid.

3	Chair	15 nos
---	-------	--------

Make: Godrej/Nilkamal or any reputed make similar one

Overall Dimension: 450w*587d*805h

Leg Frame: SS202 4leg Frame

Foot Cap nylon

Seat Base: PP (Shell)

Warranty on product 3 year

SI No	Particular of Item	Quantity
4	Book Case with Glass Door	3 nos

Make: Godrej/Nilkamal or any reputed make of similar one

The Seller OEM must have functional office in Odisha

Technical Specification of the product must be submitted with seal signature of the OEM Representative along with contact no and mail id of the oem representative for verification

The seller must submit dealer authorisation certificate along with the bid document

Warranty declaration must submit in seller letter pad

Sl. No.	Particular of Items	Quantity
5	Networking in all respect including cabling fitting of IO box, patch cable etc in all respect per point	15 points
Sl. No.	Particular of Items	Quantity
6	CC TV Surveillance system minimum 3MP IP Bullet 2nos, 3MP IP Dome 4nos, NVR 8port, POE Switch 24 port, Rack 4U and HDD 2TB with monitor 22 inch in all respect	1 set
SI No.	Particulars of Items	Quantity
7	Supply of 1.5 Ton 5star Air Conditioner inverter convertible. Copper Coil. Warranty on Compressor 10 years, Warranty on PCB 5 Years with automatic voltage stabilizer Working Power 90V-300V, Warranty on Stabilizer 3 year	5 nos
SI No.	Particulars of Item	Quantity
8	Light Glow Board 15feet wide, 3feet wide	1 no
SI No.	Particular of item	Quantity
9	Thermal android receipt printer with software to collect entry fee from students and give receipt	1 no

Technical Specification of 3 KVA Online UPS

Sl. No.	Particulars of Item	Quantity	
10	Online UPS 3KVA with Iron Rack for Battery and Battery Backup of 30 minute	1 set	
Sl. No.	Descriptions	Specifications	Complied(Yes/No)
1	Make		

2	Model		
3	Configuration	3 KVA IGBT based On-Line UPS with flexible External VRLA Battery Option	
4	Capacity	3000 VA / 2400 Watts;	
5	Configuration	1 Phase Input : 1Phase Output	
6	AC Input Voltage Range	176-300 V full load/110-300 V 50 % load	
7	Input Frequency	40...70 Hz auto sensing	
8	AC Input Connection Type	(1) Hard wire 3-wire (1P+N+G)	
9	AC Output Voltage	230 V AC, 1-phase \pm 1% (Sine Wave Out- put)	
10	Rectifier & Inverter type	IGBT	
11	Output Frequency	50 Hz \pm 3 Hz	
12	Operating temperature	0-40 degree C, without deration	
13	Voltage harmonic Distortion	<1% for Linear Loads and <4% for non- linear loads	
14	Output Connections	(1) Hard wire 3-wire (1P+N+G)	
15	Indications & Audible Alarms	Mains On, Inverter On, Overload, Battery Low	
16	Digital Metering	LCD display for measurement of AC Voltage, Battery voltage, Battery Current, Load Current, Output frequency.	
17	UPS	2U size	
18	Form factor	Rack & Tower convertible.	
19	Battery Charger	Min.8A charger capacity	
20	Battery Voltage	72V	
21	UPS Remote Monitoring	The UPS should come with NMC/SNMP Card. The Cloud-based Centralized Management Software shall produce alerts and alarms, providing real-time monitoring of distributed IT infrastructures such as UPS, LiBs etc via SNMP v1, v3, modbus TCP., having ISO 27001 , IEC 62443-4-2 Security Level 2 (SL2) security certifications.	
22	Software Connectivity	Vendor UPS should also have Business Continuity Software which should provide unattended graceful shutdown of standalone servers and virtual machines server (VMs) followed by the cluster and hosts, which helps prevent data corruption. It should work with server OS like Windows, Linux.	
23	SNMP Card	SNMP Card comes with its own ISO 62443-4-2:2019 cyber security certification. Copy of this certificate to be submitted at the time of bidding.	
24	Battery VAH	Battery VAH should be 4800 VAH for 60 mins backup	
25	Battery Back-up & Other Details	The system must be capable of providing requisite battery back-up time as per requirement.	
		UPS Should have integrated Battery testing feature to check the health of Batteries.	
		UPS Should have temperature compensated battery charger.	
26	Operating Environmental conditions	Operating Temperature: 0 to 40 °C	
		Operating Altitude: 0 – 1,000 m at 100% load	
		IP Rating: IP 20	
27	Certification	ISO 9001, ISO 14001, ISO 45001:2018, ISO 50001 certified.	
		ROHS & Reach Certificate	
		BIS	
		IS 16242 (Part 1) : 2014 / IEC 62040-1 : 2008 IEC 62040-2 : 2018	
28	Installation & Commissioning	Bidder/OEM should deliver, install, commission and maintain the UPS system as per Govt Electrical standard practices.	
29	Origin of UPS	The offered solution (UPS & battery) should have >51% local content	
30	After Sales Support & Manufacturer's Credibility	UPS OEM should have its registered office/Authorized service partner office with adequate technical manpower and spares for ensuring 24 x 7 x 365 support as per contract SLA. Contact numbers and addresses to be provided for support centres	

		UPS OEM should have experience for deploying Online 1PH UPS for at least 20 years in India and deployed in any Central/State Govt Organization/PSU/Public Listed Company in last 05 years. Documentary evidence to be furnished	
31	WARRANTY	2 years on UPS and 2 years on battery.	

- The bidder has to submit undertaking in notarized paper regarding non blacklisted from any State Govt/Central Govt/PSU.
- Undertaking in legal stamp paper to complete the entire work within seven days must submit along with the bid documents.
- Copy of similar experience certificate should submit along with bid documents
- Document should submit in two sealed envelope one marked as technical bid and other marked as financial bid. Technical bid must contains all documents along with paper cost and EMD amount. Non submission of any of the documents leads to disqualified in the bid and financial cover of the same will not opened.

Signature of Bidder

PRICE BID

Sl No.	Particulars of Item	Quantity Required	Price per Unit	Total Cost
1	Desktop CPU	8 nos		
2	Laser Printer	1 no		
3	Chair	15 nos		
4	Book Case with Glass Door	3 nos		
5	Networking in all respect including cabling io box, patch cable etc in all respect per point	15 points		
6	CC TV Servilience system minimum 3MP IP Bullet 2nos, 3MP IP Dome 4nos, NVR 8port, POE Switch 24 port and HDD 2TB with monitor 22 inch	1 Set		
7	Supply of 1.5 Ton 5star Air Conditioner inverter convertible. Copper Coil. Warranty on Compressor 10 years, Warranty on PCB 5 Years with automatic voltage stabilizer Working Power 90V-300V, Warranty on Stabilizer 3 year	5 nos		
8	Light Glow Board 15feet wide, 3feet wide	1 no		
9	Thermal android receipt printer with software to collect entry fee from students and give receipt	1 no		
10	Online UPS 3KVA with rack and Battery backup of 32 minute	1 Set		

* for detailed technical specification see technical data sheet

No of Correction made:

Signature of Bidder