

OFFICE OF THE REGULATED MARKET COMMITTEE, KENDRAPARA

At/P.o.- Jamadhar, Dist- Kendrapara – 754211

(Ph.No. 220398(06727)/ email- rmckendrapara@gmail.com/ website- rmckendrapara.com)

Short Tender Call Notice

Tender Call Notice: *No - 325*

Date: *29.11.2025*

1. The Collector & District Magistrate- cum-Chairman of RMC, Kendrapara invite rate Quoted sealed tenders / Quotation from authenticated suppliers / Manufactures having valid GST and PAN for purchase of following grading equipments to be required for paddy procurement purpose during KMS 2025-26.

Sl.No.	Name of the items/grading equipments	Unit/ Numbers required
1	Weighing Scale <i>SANSUI & ESSE+</i>	50
2	Analysis Kit	25
3	Moisture Meter	33
4	CCTV Camera	50
5	Seeds Mini Grader	25
6	One 09 Ltr. Capacity of water type Fire extingwisher @ ISI Mark	140

2. The details technical specification of above required equipments as framed by the O.S.A.M. Board, Bhubaneswar is attached with this notice separately must be followed.

3. The rate of items , make/model of items which Qualify the specification of OSAM Board along with rate of others taxes & free warranty period etc. must be mentioned in the Quotation and should reached to the RMC, Office Kendrapara by 4.00 P.M of dt-15.12.2025 positively through registered post.

4. Undersigned reserved the right to cancelled the above notice without assigning any reason thereof.

5. The details specification of the equipments as prescribed by R.M.C, Kendrapara may be downloaded from Kendrapara District website (www.kendrapara.odisha.gov.in) from dated 01.12.2025 10.00A.M to dt.14.12.2025 up to 5.00 P.M.

6. The tender paper will be open on dt-17.12.2025 at 11.30 A.M in the office chamber of RMC, Kendrapara.

7. Manufacture/ Their authorized Dealer/ Reputed firm are eligible to quote in this tender. Authorized dealer should attach letter of authority from principal Manufacturer to quote in this tender.
8. The mentioned items must be delivered within 7 days from the issuance of purchase Order/ Contract.
9. Bidder should furnish copy of GST, PAN, latest GST return copy, ITR, audited balance sheet of last two financial year, ISO certificate and Trade license copy.
10. Bidder should submit the GST, PAN ISO certificate and CE certificate of Manufacturer, if the bidder is Authorized Dealer.
11. Bidder must submit a notarized latest affidavit in non-judicial stamp paper of value Rs.100.00 after the date of publication of bid that their firm has not been blacklisted by any PSU / central or state govt. department.
12. In case of any damage of supplied material during transportation, loading and unloading, that will be replaced by the bidder free of cost.
13. The Rate offered by the bidder will be inclusive of all taxes, cost of transportation till destination and installation and commissioning
14. ^{or} Supplier shall arrange all items including consumables required during time installation, commissioning and demonstration. However Purchaser shall provide electrical point and power supply, at Regulated Market Committee , Kendrapara.
15. If the successful L1 bidder fails to supply the required items within prescribed time period, then L2 bidder may be invited to supply the same as per quoted price of L1 bidder with same terms and conditions, if agree.
16. Tender Processing Fees: Bidder should submit DD of any nationalized bank of Rs.5000.00 in favour of Regulated Market Committee, Kendrapara and payable at Kendrapara against tender processing fees / tender cost (Non-refundable) & the original DD along with the bid documents should reach the RMC Kendrapara office before the closing date of the bid through speed / registered post.
17. Earnest Money Deposit (EMD): Bidder should submit EMD of Rs. 50,000/- in shape of DD of any nationalized Bank in favour of Regulated Market Committee, Kendrapara and payable at Kendrapara the original EMD along with the bid documents should reach the RMC, Kendrapara office before the closing date through speed / registered post. The EMD deposited by the

successful bidder will be retained as the security deposit. Retained Money shall be refunded after one year from ^{the} date of successful completion of delivery.


Collector & D.M, cum-
Chairman, RMC, Kendrapara

Memo No 326 /Date 29.11.25

Copy submitted to the General Manager, OSAM. Board, Bhubaneswar for favour of kind information and necessary action.


Collector & D.M, cum-
Chairman, RMC, Kendrapara

Memo No 327 /Date 29.11.25

Copy submitted to the Collector & District Magistrate, cum-Chairman of RMC, Kendrapara for favour of kind information and necessary action.


Collector & D.M, cum-
Chairman, RMC, Kendrapara

TECHNICAL SPECIFICATION OF MINI SEED GRADER

Sl. No.	Specifications
1	Laboratory Model
2	Commodity : Paddy, Pulses
3	Operating Voltage : 220 Volt, 50 Hz A.C.
4	Screen area : 29 x 24 cm 23 approx.
5	Screen provided : Set of 10 Sieves
6	Sieve sizes (mm): 3.5 OH, 2.75 OH, 2.0 OH, 1.85 OH, 1.75 OH, 1.5 OH, 7.0 RH, 5.0 RH, 1.6 RH and 1.2 RH (OH-Oblong Hole and RH - Round Hole)
7	No. of working screen : Two
8	Motor: ½ HP Single Phase (ISI Standard)
9	Operation : Manual, Power
10	Adjustable feed control, Air speed regulator, Stainless Steel Sieve
11	Made of teak wood and ply.

TECHNICAL SPECIFICATION OF DIGITAL MOISTURE METER

Sl. No.	Specifications
1	Measuring Range: 3.5% to 40%
2	Supply Voltage : 9V DC
3	Temperature Compensation : Automatic calibration & error correction facility
4	Display : Digital LCD / LED
5	Error condition display for over Range or under range : $\pm 0.2\%$
6	Commodity : Cereals, Pulses, Oil Seeds
7	Operating Temperature : Ambient to 50° C

TECHNICAL SPECIFICATION OF ANALYSIS BOX / KIT

Sl. No.	Specification
1.	Analysis Box / Kit consists of Class 'B' Mechanical Weighing Balance up to 100 gm. Weight box consist of set of verified weights up to 100 gms. Enamelled Plate-9", Parkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier / Micrometer, Palm Paddy De-husker, Scoop (With handle, 105 mm x 1000 mm x 25 mm, Measuring Cylinder-20 cc., Built-in Purity Work Board for testing physical purity of seeds, Petri Dish & Forceps all packed in a compact wooden / leather brief case, as small, as light and as compact as possible, but as accurate and as reliable.

TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 300Kg.
CAPACITY

Sl. No.	Specification
1	Minimum weight of the machine 30Kg.
2	Weighing Capacity - 300 Kg. maximum, 1 Kg minimum e=50 g (least count)
3	Accuracy classes - Class-III
4	Platform size - 60 cm x 60 cm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display - LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer.
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery - Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector, Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 600 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.

[Handwritten signature]